



MATERIAL SAFETY DATA SHEET

Aciprid 20 SL

IDENTIFICATION OF THE SUPPLIER:

AGRO CHEMICALS INDUSTRIES LTD
JORDAN AMMAN
P.O.Box 183020 Amman 11118 Jordan
Tel. +962 6 5548224/5
Fax. +962 6 5548220
E-mail info@aci.com.jo

PRODUCT IDENTIFICATION:

Common Name: Acetamiprid 20% w/v
Trade Name: Aciprid 20 SL
Type of formulation: Soluble liquid (SL)
Chemical Name:
(E)-N-[(6-chloro-3-pyridinyl) methyl]-N'-cyano-N-methylethanamide
Chemical Formula: C₁₀H₁₁ClN₄
Molecular Weight: 222.7

PRODUCT COMPOSITION:

<i>Active Ingredient:</i>	<i>% w/v</i>	<i>CAS #</i>
Acetamiprid	20%	[135410-20-7]
<i>Inert ingredient:</i>		
Solvent	Up to 100%	--

HAZARDS IDENTIFICATION:

Health Hazard information:

Swallowed	Poisonous if swallowed. Acute LD50-Rat-580mg/kg
Eye	Will irritate the eyes. Classified as moderately Irritating-Rabbit (female)
Skin	Low dermal toxicity. May irritate the skin. Some components of the formulation





May be absorbed through the skin.
Acute dermal LD50- Rate->2000 mg/kg.
Classified as Non-Irritating-Rabbit.
Classified as Non-Sensitizing-Guinea Pig (female)
Inhaled Low inhalation toxicity. LC50 (4h) rat>6540 mg/m³
Chronic In animal studies acetamiprid was not mutagenic or
Carcinogenic .It was not a neurotoxin or
Reproductive toxin and did not cause
Ambry or foetal toxicity.
Medical conditions none known.

FIRST AID MEASURES:

Swallowed: If poisoning occurs, contact a doctor or poisons information Centre .Wash out mouth with water. Do not induce vomiting. Give a glass of water. Keep patient at rest and seek medical advice.

Eye contact: Rinse eyes immediately clean water for at least 15 minutes and obtain urgent medical aid.

Skin contact: Carefully remove contaminated clothing. Wash affected area thoroughly with soap and water. Seek medical aid if at all worried.

Inhalation: If inhaled, remove to fresh air and keep at rest. Obtain medical advice if at worried. If breathing stop of failing, start artificial respiration.

First Aid Facilities: Eye wash, water, soap.

Advice to Doctor: No specific antidote. Treat according to symptoms. Symptoms from overexposure to the product include irritation, nausea, vomiting, headach, confusion, liver effects, lethargy, muscle tremors and convulsion.

FIRE FIGHTING MEASURES:

Extinguishing media: Foam, dry chemical, carbon dioxide, water spray.contain all run off.

Degree of hazard: The product is a class CI Combustible liquid

Special Fire Fighting Procedures: isolate fire area. Evacuate downwind residents.Fire fighters should wear full protective gear including self-contained breathing apparatus (AS/NZS 1715-1716). If possible and without risk. Remove intact containers from exposure to fire.Otherwise.spray un-opened containers with sand or earth to prevent





it entering any bodies of water. Dispose of fire control water or other extinguishing agent and spillage safely later.

Hazardous Decomposition Products: on combustion toxic fumes such as oxides of carbon, nitrogen and sulphur, hydrogen chloride and other toxic substances may be emitted, may form explosive mixture with air.

ACCIDENTAL RELEASE MEASURES:

Spill and Disposal: Avoid contact with the spilled material or contaminated surfaces. Extinguish all possible sources of ignition. When dealing with spill do not eat, drink, or smoke. Wear personal protective clothing and equipment. Prevent spilled material from entering drains and watercourses. Contain spill and absorb with earth, sand, clay or other absorbent material. Collect and store in properly labeled sealed drums for safe disposal. Dispose of waste product through a reputable waste contractor. Thoroughly ventilate the area after clean up. Deal with all spillages immediately. After cleaning up spills, flush area with water taking care that washing do not enter sewers, drains or other waterways. If contamination of drains, streams, watercourses etc is unavoidable, warn the local water authority. Wash contaminated equipment taking care that washing do not enter sewers, drains and other waterways

HANDLING AND STORAGE:

Handling and Storage: Store in the closed original container, in a dry, cool, well ventilated area out of direct sunlight. Do not store with seed, feed, foodstuffs, insecticides, herbicides or fertilizers. Keep away from sparks, open flames or other sources of ignition. Keep container tightly closed as product is hygroscopic. The product is not a Dangerous Good by road or rail according to the Australian Code for the transport of Dangerous Goods by road and rail. It is not an marine pollutant.

Risk phases: R22-Harmful if swallowed
R36/38-irritating to eyes and skin

EXPOSURE CONTROLS/ PERSONAL PROTECTION:

Exposure standards: No exposure standard has been assigned by the National Occupational Health and Commission (NOHSC) for the product or its ingredients.





Engineering controls: Control process conditions to avoid contact. Use local exhaust ventilation during manufacture and spark proof equipment. Use in a well-ventilated area only.

Personal Protective: After using and before eating, drinking and smoking, wash hands, arms and face thoroughly with soap and water. Applicators and handlers should wear long sleeved shirt and long pants or overalls, buttoned to the neck, butyl rubber gloves and safety goggles or face shield. If working in enclosed areas, a respirator with either an organic or vapor-removing cartridge with a pre-filter approved for pesticides, or a canister approved for pesticides.

STABILITY AND REACTIVITY:

Chemical stability: Stable under normal conditions of use.
Acetamiprid degrades slowly at alkaline PH
And elevated temperatures.

Conditions to avoid: Extreme heat, sparks, open flames and other
Sources of ignition, moisture.

Hazardous of decomposition chloride products At high temperatures or on combustion- oxides carbon, nitrogen and sulphur, hydrogen and other toxic substances may be formed.

TOXICOLOGICAL INFORMATION:

-The following data are for acetamiprid active:

Acute:

Oral toxicity

LD₅₀ RAT male: 217mg/kg.

LD₅₀ RAT female: 146mg/kg.

Dermal toxicity

LD₅₀ rat: >2000 mg/kg.

Tel: +962 6 5548224 / 5 - Tel: +962 77 5548227

Fax: +962 6 5548220

P.O.Box: 183020 Amman 11118 Jordan

E-mail: info@aci.com.jo

www.aci.com.jo





Inhalation toxicity LC₅₀ rat: >0.29mg/L
Skin irritation Rabbit: non irritating
Eye Irritation: Rabbit: non irritating
Sensitization skin: Guinea pig- Not skin sensitiser

ECOLOGICAL INFORMATION:

Environmental Protection: Acetamiprid non toxic to bird, and practically non toxic to fish and invertebrates, low toxicity to bees and earthworms

Ecological Information (Acetamiprid):

Birds Toxicity:

Mallard Duck Acute oral LD50	98m/kg
Mallard Duck Dietary LC50	>5000 mg/kg
Bobwhite quail Dietary LC50	>5000 mg/kg
Bee (contact) LD50	8.09 µg/bee
Earth worms LD50 (14 day)	9mg/kg

Fish Toxicity:

Carp LC50	>100 mg/l
-----------	-----------

Bioaccumulation: Acetamiprid is not expected to bioaccumulation.
The degradation of Acetamiprid is slowly degraded on or in plants.
DT50 in clay loam: 1 day
In light Clay: 1-2 days
DT50 for total residues: 15-31 days.

DISPOSAL CONSIDERATIONS:

Container Disposal: Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank. Do not dispose of undiluted chemicals on site. Break, crush, or puncture and bury empty containers in a local authority landfill. If no landfill is available, bury the containers below 500 mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.





مؤسسة صناعات الكيماويات الزراعية
AGRO CHEMICALS INDUSTRIES LTD.



TRANSPORT INFORMATION:

UN No.: 2588

Tel: +962 6 5548224 / 5 - Tel: +962 77 5548227
Fax: +962 6 5548220
P.O.Box: 183020 Amman 11118 Jordan
E-mail: info@aci.com.jo
www.aci.com.jo

