



# Aciprid

## **Type and composition:**

Insecticide contain 20 % w/v Acetamiprid in the form Soluble liquid (SL).

## **Mode of Action:**

Systemic insecticide with translaminar activity and with contact and stomach action.

## **Advantage and properties:**

**Aciprid:** effect for control many of insect such as: thrips, aphids, whitefly, leaf miner and apple fruit moth, by effect on insect central nervous system

**Aciprid:** Use on fruit trees and vegetable.

**Aciprid:** compatible with commonly used insecticides fungicides except that which have alkaline effect, preferably woks experiment initial mixing.

**Aciprid:** Non-phytotoxic to most plant species when used as recommended.

**Aciprid:** harmful if swallowed, toxic to bees, harmful to aquatic organisms.

## **Application rate:**

crops	pest	Rate of application/20L water	PHI
Cucumber, Tomato	Aphid, Thrips, Whitefly	10 ml	3 days
Eggplant, Sweet pepper	Aphid, Thrips	5 ml	3 days
Strawberry	Aphid	5 ml	3 days
Potato	Aphid	10 ml	7 days
Apple, Pear	Aphid, Fruit moth, Leaf miner	5-10 ml	14 days
Peach	Aphid, Fruit moth, Leaf miner	5-10 ml	7 days
Melon	Aphid, Trips	5-10 ml	3 days
Citrus	Aphid, Leaf miner, mealy bug	5-10 ml	14 days

