



# Negmite

## **Type and composition:**

Insecticide-Miticide contain 10 % w/v Hexythiazox in the form Emulsifiable concentrate (EC).

## **Mode of Action:**

Non-systemic Miticide with contact and stomach action. Good translaminar activity.

## **Advantage and properties:**

**Negmite 10 EC:** Non-systemic acaricide with contact and stomach action. Has ovicidal, larvicidal, and nymphicidal activity.

**Negmite 10 EC:** Not active against adults, but eggs laid by treated females are nonviable.

**Negmite 10 EC:** Used on vegetable crops, fruit trees and ornamental plant.

**Negmite 10 EC:** Compatible with insecticide and initial work experience preferred before spraying.

**Negmite 10 EC:** harmful if inhaled, harmful in contact with skin, Cause an allergic to skin, flammable, toxic to aquatic organism.

## **Application rate:**

Crop	Rate of application / 20 L	Pest	PHI
Apple	8-10 ml	Mite	7 days
Pear	8-10 ml		
Peach, apricot	8-10 ml		
Strawberry	8-10 ml		3 days
Grape	8-10 ml		7 days
Citrus	8-10 ml		7 days
Cucumber, eggplant, pepper, peas	8 – 10 ml		7 days
Ornamental	8-10 ml		-----

