



Dynamic

Type and composition:

miticide & insecticide contain Abamectin 3.3 % w/v + Thiamethoxam 15.3 % w/v in the form suspension concentrate (SC).

Mode of Action:

miticide & insecticide with contact and stomach action has limited plant systemic activity, but exhibits translaminar movement.

Advantage and properties:

Dynamic 18.6 SC: miticide & insecticide with contact and stomach action has limited plant systemic activity, but exhibits translaminar movement. Used to control Leaf miners, leafhoppers, European red mite, aphids, Mealy bugs, Whiteflies, spider mites, two spotted mites.

Dynamic 18.6 SC: Dynamic highly effective in combating insect pests being composed of two articles as effective mixture of two different groups

Dynamic 18.6 SC: Compatible with many commonly used pesticides spray adjuvants . nutritional products

Dynamic 18.6 SC: Non-phytotoxic to most plant species when used as recommended.

Dynamic 18.6 SC: harmful if swallowed, fatal if inhaled, causes damage to organs through prolonged or repeated exposure, very toxic to aquatic organisms, very toxic to bees.

Application rate:

Crops	Pests	Rate of application	PHI
Citrus fruit	Aphids , Citrus leaf miners , Citrus thrips , Fruit fly, Leafhoppers , Mealy bugs, Soft scales , two spotted mites , Whiteflies	8-12 ml/20 L of water	7 days
Potato	Colorado potato beetle, leafminers, leafhopper, psylla, mites, Flea beetle	10 ml/20 L of water	10 days