Print

Type and composition:

Fungicide contains 40% w/v cyazofamid in the form suspension concentrate (SC).

Mode of Action:

Fungicide with Protective, curative Action.

Advantage and properties:

Print: Foliar and soil preventive fungicide Inhibits all stage in the lifecycle of phytophthora infestans.
Print: Compatible with other Pesticides, prefer work mini experience before mix.
Print: Very Toxic to aquatic Organisms.

Application rate:

Crop	Diseases	Rate of application/20L water	PHI (day)
Cabbage, broccoli cauliflower, Brussels	Club root Downy mildew	Drench: 20-40 ml Foliar: 4 ml	3
Carrot	Spot, Root Dieback (Pythium)	9 ml	14
Muskmelon, Watermelon Pumpkin, Squash, Cucumber Greenhouse Cucumber	Downy mildew Phytophthora blight	3-4 ml 4 ml	3
Lettuce, spinach, parsley	White rust, Downy mildew Pythium Damping-off (Pythium)	4 ml	3
chickpea, lupine, bean broad bean , peas	Downy mildew Phytophthora blight	4 ml	3
Potato, Sweet potato	Late blight, Leaf Blight, Pink Rot, Pythium Root	Foliar:2-4 ml At Planting: 9 ml Lay-by/Hilling:4 ml	7
Onion, garlic	Downy mildew	4 ml	**3**
Eggplant, Okra, Tomato (field and greenhouse grown) Tomato (Greenhouse Transplants) Greenhouse Grown Pepper	Late blight, Downy mildew Phytophthora blight Pythium Damping-off Phytophthora blight	3-4 ml 4 ml 4ml 5 ml	3