

Fyram

Type and composition:

Fungicide contain Fluopyram 50% w/v in the form Suspension Concentrate (SC).

Mode of Action:

Fungicide in the form Suspension Concentrate that inhibits mitochondrial function by disrupting complex II (succinate dehydrogenase) in the respiratory electron transport chain

Advantage and properties:

Fyram: nematicide and insecticide inhibits mitochondrial function by disrupting complex II (succinate dehydrogenase) in the respiratory electron transport chain

Fyram: Use on fruit trees and vegetable.

Fyram: has not been tested for compatibility with other products. Should make mix experiment before use.

Fyram: Toxic to aquatic life with long lasting effects, may cause allergic reactions.

Application rate:



Main crops	Typical Pests	Dosage ml/20 L	PHI
BRASSICA (Broccoli, Cabbage, Cauliflower, Spinach)	Powdery mildew	5-10	3
	Alternaria leaf spot	6-10	
	Botrytis gray mold, Sclerotinia stem rot	10	3
	Powdery mildew, Alternaria leaf spot, Botrytis gray mold, Sclerotinia stem rot	Soil Application 5-10	
BULB VEGETABLES (Onion, Garlic,	Purple blotch	6-10	3
	Botrytis leaf blight; neck rot	10	
	White rot	10	
	Botrytis leaf blight, neck rot, Nematodes, Purple blotch, Pink root, White rot	Soil Application 4-10	
CARROT	Powdery mildew	7-10	3
	Cottony rot, Leaf blight, Leaf spot, early blight, Nematodes	10	
	Nematodes	3-5	
CITRUS	Alternaria, brown spot Scab	7-10	7
	Alternaria, Greasy Spot Nematodes, Melanose, Scab	10	
CUCURBITS	Powdery mildew	5-10	3
	Alternaria leaf spot, Gray mold Gummy stem blight	10	
	Alternaria leaf spot, Fusarium wilt, Nematodes, Powdery mildew	4-10	
FRUITING VEGETABLES	Powdery mildew	7-10	3
	Early blight, Septoria blight	6-10	
	Gray mold	10	



	Early blight, Fusarium wilt Fusarium stem rot and vine decline, Nematodes Powdery mildew, Septoria blight	4-10	
GRAPES AND SMALL VINES	Powdery mildew	5-10	45
	Black rot, Botrytis bunch rot /, Gray mold	9-10	
POME FRUIT	Powdery mildew	3-10	7
	Scab, leaf	6-10	
	Scab, fruit	8-10	
	Sooty blotch, Fly speck	10	
	Alternaria leaf spot, Nematodes, Powdery mildew	6-10	
STONE FRUITS	Powdery mildew Rusty spot	6-10	3
	Brown rot blossom blight Fruit rot, Shot hole	6-10	
	Scab	7-10	
	Cherry leaf spot, Jacket rot Green fruit rot	10	
	Nematodes, Powdery mildew, Rusty spot	10	
STRAWBERRY	Gray mold, Leaf spot Rhizopus fruit rot	10	3
	Powdery mildew	5-10	
	Crown rot/ Charcoal rot Nematodes, Powdery mildew	6-10	
	Nematodes Powdery mildew Septoria leaf spot	6-10	





مؤسسة صناعات الكيماويات الزراعية
AGRO CHEMICALS INDUSTRIES LTD.



Tel: +962 6 5548224 / 5 - Tel: +962 77 5548227
Fax: +962 6 5548220
P.O.Box: 183020 Amman 11118 Jordan
E-mail: info@aci.com.jo
www.aci.com.jo

