

TECHNICAL DATASHEET

RACINEX (SL)

It is a bio-stimulant specifically formulated to activate the development of the root system along with favoring the emission of new roots in all crops to obtain a strong rhizosphere, especially, in the post-transplant.

APPEARANCE: Brown Liquid

Composition:

Total nitrogen (N)	4%
Phosphoric anhydride (P2O5)	8%
Potassium oxide (K2O)	5%
Calcium Oxide (CaO)	1%
Boron (B)	0.25%
Manganese (Mn)	0.60%
Zinc (Zn)	0.60%
Specific free amino acids	5.60%
Fulvic Acids	3%

Compatibility:

RACINEX (SL) is not compatible with mineral oils nor alkaline substances.



Doses and method of use:

RACINEX (SL) can be used in all crops and during all vegetative stages. In foliar application, through all the irrigation systems:

Crops	dose
VEGETABLES	From 2 to 2.5 litres /1000 litres of water.
FRUIT TREES	From 2 to 2.5 litres /1000 litres of water.
FLOWERS	From 2 to 2.5 litres /1000 litres of water.
ORNAMETAL PLANTS	From 2 to 2.5 litres /1000 litres of water.

Note: do not apply during very hot temperatures.

Packing size available: 1,5 and 20 litres.

Heavy metals:

ARSENIC	CADMIUM	COBALT	NICKEL	LEAD	MERCURY	CHROME
<2.0	<5.0	<1.8	<5.0	<1.0	<0.4	<0.7