



Tiffany

Type and composition:

Fungicide contain Pyraclostrobin 12.8% + Boscalid 25.2% in the form water dispersible granule (WDG)

Mode of Action:

Fungicide in the form water dispersible granule (WDG).

Fungicide with protectant, curative action has good residual activity against target fungi.

Advantage and properties:

Tiffany:

Pyraclostrobin: protectant, curative and translaminar properties.

Boscalid: fungicide m with translaminar and acropetal movement within the plant leaf, providing preventive and in some cases, curative action. Inhibits spore germination, germ tube elongation and is also effective on all other stage of fungal development

Application rate:





Main crops	Typical Pests	gm/20 liter	PHI* Days
Strawberry	Anthracnose, Botrytis rot, leaf spot, Powdery mildew	25-30 gram	3
Broccoli, Cabbage, Cauliflower	Alternaria spot, Black leg, leaf spot, Powdery mildew, White leaf spot	15-20 gram	3
	Anthracnose, White rust Downy mildew, Gray mold, Sclerotinia stem rot, Rhizoctonia rot	25 gram	
Onion, garlic, leek	Botrytis blight Botrytis rot	35 gram	7
	blotch and leaf blight Suppression Only: Downy mildew	20-25 gram 15-25 gram	
Carrot	Alternaria spot, leaf spot, Powdery mildew, Suppression Only: root rot	25 gram	
Grapefruit, grapefruit, Kumquat, Lemon, Orange, mandarin,	Alternaria brown spot, Citrus black spot ,Melanose, Scab	10-15 gram	3
Cucumber Muskmelon Watermelon	Alternaria blight, leaf spot, Downy mildew Powdery mildew,	22-25 gram	3
pumpkin, squash Tomato	Anthracnose Anthracnose Septoria leaf spot Early blight Late blight, Powdery mildew, Botrytis mold, Black mold	15-25 gram 20-35 gram	3
Eggplant, okra, pepper	Black mold, Early blight	15	3
Grapes ,Kiwi	leaf spot, Anthracnose Black rot, Downy mildew, Leaf blight Powdery mildew, Ripe rot	10-20 gram	14
	Botrytis gray mold	25-30 gram	





Lettuce, parsley spinach	Alternaria spot, Anthracnose, leaf spot, Downy mildew, Powdery mildew, Rust White rust	15-20 gram	14
	Botrytis rot, Sclerotinia rot and blight	2-35 gram	
Apple, Quince, Pear, Loquat	Blotch, Apple and pear scab, Powdery mildew, White rot,spots, Suppression Only: rust	20-25 gram	3
Apricot; apricot, cherry, nectarine; peach; plum	Alternaria spot, Anthracnose, Blossom blight, Brown rot, Leaf spot, Powdery mildew, Ripe fruit rot, rust Scab Suppression Only: Leaf curl	15-20 gram	3
Radish, turnip	Alternaria spot, Leaf spot, Powdery mildew Suppression Only: root rot	10-15 gram	3
Bean,pea, Chickpa, Lentil, Broad bean	Alternaria leaf and pod spot Powdery and downy mildew, leaf spot, Rust	15-20 gram	21

E-mail: info@aci.com.jo www.aci.com.jo